

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat near rate) same exponent\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:50
L4	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate) same exponent\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:51
L5	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate) same index	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:52
L6	15	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 10:07
L7	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (tim\$3 near (first and second)) same (heat same rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:53
L8	18	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (heat same rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 10:06
L9	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (heat same rate) same exponent\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:53
L10	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate) same soc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:55

EAST Search History

L11	1	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate) same (start\$3 near combustion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:56
L12	0	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (heat same rate) same soc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:56
L13	1	(cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (heat same rate) same (start\$3 near combustion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/12/13 09:56
L14	1	123/406.41 and ((cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (heat same rate))	US-PGPUB; USPAT	OR	OFF	2007/12/13 10:07
L15	7	123/435 and ((cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same (heat same rate))	US-PGPUB; USPAT	OR	OFF	2007/12/13 10:07
L16	1	123/406.41 and ((cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate))	US-PGPUB; USPAT	OR	OFF	2007/12/13 10:08
L17	5	123/435 and ((cylinder near pressure) same calculat\$3 same (correct\$3 or adjust\$3) same tim\$3 same (heat same rate))	US-PGPUB; USPAT	OR	OFF	2007/12/13 10:08